

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning documents *will not* correct images,  
please do not report the images to the  
**Image Problem Mailbox.**



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/888,158	06/25/2001	William A. White III	SAA-57	8179
23569	7590	06/30/2004	EXAMINER	
SQUARE D COMPANY INTELLECTUAL PROPERTY DEPARTMENT 1415 SOUTH ROSELLE ROAD PALATINE, IL 60067			HUYNH, KIM T	
			ART UNIT	PAPER NUMBER
			2112	

DATE MAILED: 06/30/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No.	Applicant(s)	<i>[Signature]</i>
	09/888,158	WHITE ET AL.	
Examiner	Art Unit		
Kim T. Huynh	2112		

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) Responsive to communication(s) filed on 6/25/01.
- 2a) This action is FINAL.                            2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) Claim(s) 1-34 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) Claim(s) \_\_\_\_\_ is/are allowed.
- 6) Claim(s) 1-34 is/are rejected.
- 7) Claim(s) \_\_\_\_\_ is/are objected to.
- 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 25 June 2001 is/are: a) accepted or b) objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) All    b) Some \* c) None of:
    1. Certified copies of the priority documents have been received.
    2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)	4) <input type="checkbox"/> Interview Summary (PTO-413)
2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date. _____.
3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date _____.	5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
	6) <input type="checkbox"/> Other: _____.

**DETAILED ACTION*****Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-7, 10-21, 29-32, are rejected under 35 U.S.C. 102(e) as being anticipated by Jammes (Pub No US20020194365)

As per claim 1, Jammes discloses system comprising:

- a Modbus device having an embedded automation application, the Modbus device being operably connected to a communication bus; [0023-0024], [0006]
- a fieldbus coupler operably connected to the automation application via the communication bus; [0024], [0006]
- a network being operably connected to the fieldbus coupler, the network including a network node having a table for holding data and parameters transmitted or received throughout the system; and, [0056]
- a protocol utilized by the automation application to access the network node. [0024], [0047]

As per claimd 2, 29, Jammes discloses wherein the protocol comprises:

- a Modbus message frame comprising: [0047]
- a header having an address identifier; [0039]
- a trailer having an error verifier; and, [0036]
- a Modbus function code encapsulated between the header and the trailer, wherein the automation application transmits a network message embedded within the Modbus function code to the network node table. [0035-0040], [0066]

As per claims 3,17, 30, Jammes discloses wherein the Modbus function code comprises a Modbus sub-function code. [0024-26]

As per claims 4, 18, Jammes discloses wherein the Modbus function code comprises: a read/write function code having a read/write bit, the read/write function code further being operably responsive to the read/write bit wherein the read/write function code reads or writes the network node table. [0024], [0048-0049]

As per claims 5. 19, 31, Jammes discloses wherein the read/write function code comprises: an index and a sub-index defining a location within the network node table; and, a starting address, the starting address is an offset into the network node being referenced by the index and the sub-index. [0049-0051]

As per claims 6, 20, 32, Jammes discloses wherein the read/write function code comprises: a byte amount defining an amount of bytes, the starting address and the byte amount defining a portion within the

network node table to be read or written by the read/write function code wherein the automation application can directly access the portion of the network node table. [0047], [0057]

As per claims 7, 21, Jammes discloses wherein the Modbus function code comprises a plurality of Modbus function codes encapsulated within the Modbus message frame.[0024]

As per claim 10, Jammes discloses an automation control system comprising:

- a fieldbus coupler operably connected to a Modbus communication bus; [0024], [0006]
- a Modbus device having an automation application, the Modbus device being operably connected to the fieldbus coupler via the Modbus communication bus; [0023-0024], [0006]
- a Modbus protocol for communicating between the Modbus device and the fieldbus coupler; a network communication bus being operably connected to the field bus coupler; [0024], [0006]
- a network device being operably connected to the fieldbus coupler via the network communication bus; a network protocol for communication between the network device and the fieldbus coupler; [0024], [0056]
- the Modbus device and the network device being in communication with each other wherein the fieldbus coupler facilitates communication between the Modbus device and the

network device by converting to and from the Modbus protocol and the network protocol. [0047]

As per claim 11, Jammes discloses wherein the fieldbus coupler comprises:

- a fieldbus physical layer transceiver being operably connected to the Modbus communication bus; [0024], [0006]
- a Modbus to network bridge being operably connected to a network driver and the physical layer transceiver; [0023-0024], [0006]
- a fieldbus driver being operably connected to the network driver; [0056]
- a fieldbus network table being operably connected to the network driver; and, [0056]
- a fieldbus network transceiver being operably connected to the network driver and the network communication bus. [0024], [0006]

As per claim 12, Jammes discloses wherein the Modbus device comprises:

- a Modbus physical layer transceiver being operably connected to the Modbus communication bus; [0023-0024], [0006]
- a Modbus driver being operably connected to the Modbus physical layer transceiver; and, [0056]
- an automation application being operably connected to the Modbus driver. [0024], [0056]

As per claim 13, Jammes discloses wherein the network device comprises:

- a network transceiver being operably connected to the network communication bus; [0023-0024], [0006]
- a network driver being operably connected to the network transceiver; [0056]
- a network table being operably connected to the network driver; and, a field application being operably connected to the network driver. [0024], [0056]

As per claim 16, Jammes discloses Modbus communication protocol for an automation system executing an automation application, the automation system comprising a fieldbus coupler being operably connected between a Modbus network having a Modbus device and a network having a network device including a network table, the Modbus communication protocol comprising: a Modbus message frame comprising:

- a header having an address identifier; [0039]
- a trailer having an error verifier; and, [0036]
- a Modbus function code encapsulated between the header and the trailer, wherein the automation application transmits a network message embedded within the Modbus function code to the network device table. [0035-0040]

3. Claims 24-26 are rejected under 35 U.S.C. 102(e) as being anticipated by Dube's et al. (US Patent 6,434,157)

As per claims 24, Dube discloses method of transmitting a network message in an automation system comprising a network and a Modbus network, the method comprising the steps of:

- providing a network message embedded within a Modbus function code; (col.2, lines 7-15)
- transmitting the Modbus function code to a network node; (col.2, lines 7-15)
- extracting the network message; and, (col.1, lines 58-65)
- executing the network message wherein the network node being capable of interacting with the Modbus network. (col.2, lines 1-15)

As per claim 25, Dube discloses accessing a portion of the table.

(col.2, lines 17-25)

As per claim 26, Dube discloses embedding a network response message within a response Modbus function code; and, transmitting the response Modbus function code to the Modbus network. (col.2, lines 1-30)

#### ***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2112

5. Claims 8-9, 22-23, 27-28, 33-34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jammes (Pub No US20020194365) in view of Stutz (Pub No US20020128986)

Jammes discloses all the limitations as above except the network is CANopen. However, Stutz discloses network controller handles CANopen related protocol. [0047]

It would have been obvious to one having ordinary skills in the art at the time the invention was made to incorporate Stutz's teaching into Jammes's system so as to have the advantages to have communication for a franking machine which would overcome the disadvantages of previous franking machines. [0016]

### ***Conclusion***


6. *Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kim Huynh whose telephone number is (703)305-5384 or via e-mail addressed to [kim.huynh3@uspto.gov]. The examiner can normally be reached on M-F 8:30AM-6:30PM.*

*If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Rinehart can be reached on (703) 305-4815 or via e-mail addressed to [mark.rinehart@uspto.gov]. The fax phone numbers for the organization where this application or proceeding is assigned are (703)872-9306 for regular communications and After Final communications.*

*Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)306-5631.*

*Kim Huynh*

*June 27, 2004*



MARK H. RINEHART  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100